


IN THE CLAIMS:

1.(Currently Amended) A compound of Formula IV



A
R₁-R₄ are hydrogen or alkyl;

X is NR₅ or O;

R₅ is hydrogen or alkyl,

R₆ is hydrogen, alkyl, benzyl, alkanoyl, alkoxyalkanoyl, arylalkyl, alkoxy, cycloalkyl, allyl, alkylcycloalkyl, alkoxy, cycloalkyl, alkylcycloalkyl, trisubstituted halogenalkyl,

and wherein R₁-R₄ are each hydrogen the R₆ is not hydrogen or methyl; or a

pharmaceutically acceptable salt, ester, prodrug, or amide thereof, with the proviso that X-R₆ may not be NH₂.

2.(Original) A compound according to Claim 1 wherein R₂ and R₄ are hydrogen and R₁ and R₃ are alkyl; R₂ and R₄ are hydrogen and R₁ and R₃ are methyl; R₁-R₄ are hydrogen; R₁ is alkyl and R₂-R₄ are hydrogen; R₁ is methyl and R₂-R₄ are hydrogen; R₅ is hydrogen; X is NR₆; X is O; R₆ is alkyl; R₆ is benzyl; R₆ is acetyl; R₆ is phenylalkyl; R₆ is cycloalkyl; R₆ is trifluoroalkyl; R₆ is alkylcycloalkyl; R₆ is alkoxy; and R₆ is allyl.

3.(Original) A compound according to Claim 1 wherein R₂ and R₄ are hydrogen and R₁ and R₃ are methyl; R₁-R₄ are hydrogen; R₁ is methyl and R₂-R₄ are hydrogen; R₅ is hydrogen; X is NR₆; R₆ is alkyl; R₆ is benzyl; R₆ is acetyl; R₆ is phenylalkyl; R₆ is cycloalkyl; R₆ is trifluoroalkyl; R₆ is alkylcycloalkyl; R₆ is alkoxy; and R₆ is allyl.

u
4.(Original) A compound according to Claim 1 wherein R₂ and R₄ are hydrogen and R₁ and R₃ are methyl; R₁-R₄ are hydrogen.

5.(Currently Amended) A compound according to Claim 1 and selected from the group consisting of:

(1-Allylaminomethyl-cyclohexyl)-acetic acid;
(1-Prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;
{1-[(2,2,2-Trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;
{1-[(3,3,3-Trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;
1 α ,3 β ,5 β - (1-Allylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid;
1 α ,3 β ,5 β -(3,5-Dimethyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;
1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;
1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;
trans-((1R,3R)-1-Allylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl)-acetic acid;
1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid;
1 α ,3 β ,5 β -{1-[(Cyclopropylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;
trans-((1R,3R)-1-[(Cyclopropylmethyl-amino)-methyl]-3-methyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-1-Ethylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-1-Butylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
trans-((1R,3R)-1-Hydroxymethyl-3-methyl-cyclohexyl)-acetic acid;

1 α ,3 β ,5 β -{1-[(Hydroxymethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;

~~1 α ,3 β ,5 β -(1-Aminomethyl-3,5-diethyl-cyclohexyl)-acetic acid, hydrochloride;~~

1 α ,3 β ,5 β -(3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -(1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -(1-Benzylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -(1-Dimethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -(1-Butylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -{1-[(Benzyl-methyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -[1-(Acetylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid;

1 α ,3 β ,5 β -[1-(Isobutylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -[3,5-Dimethyl-1-(phenethylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(3-phenyl-propylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

{1-[(Cyclobutylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

1 α ,3 β ,5 β -[1-(Isopropylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid, hydrochloride salt;

{1-[(2-Methyl-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

{1-[(4,4,4-Trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

(1-Ethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

{1-[(Cyclopropylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

{1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

[1-(Isobutylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;

(1-Propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

[1-(Isopropylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;

(1-Cyclohexylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

[1-(Benzylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;

((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

{1-[Cyclopentylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric salt;

{1-[(Cyclohexylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric salt;

[1-(*tert*-Butoxycarbonylamino-methyl)-cyclohexyl]-acetic acid;

[1-(Acetyl-amino-methyl)-cyclohexyl]-acetic acid;

((3R, 5S)-1-Cyclobutylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

{{(3R, 5S)-3,5-Dimethyl-1-[(2-methyl-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

{{(3R, 5S)-1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

{{(3R, 5S)-1-[(2,2-Dimethoxy-ethylamino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

{{(3R, 5S)-1-[(Cyclopentylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

{(3R,5S)-1-[(Cyclohexylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

((3R, 5S)-1-Cyclohexylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

((3R,5S)-1-Carboxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid;

trans-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

cis-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

(1-Dimethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

(1-Butylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

{1-[2,2-Dimethoxy-ethylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

(1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

{1-[(Benzyl-methyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

[1-(Phenethylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;

{1-[(3-Phenyl-propylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;

((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid, sodium salt;

((3R, 5S)-1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;

~~(1-Aminomethyl-4-ethyl-cyclohexyl)-acetic acid, hydrochloride salt;~~

~~(1-Aminomethyl-4-propyl-cyclohexyl)-acetic acid, hydrochloride salt;~~

((3R, 5S)-3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;




[(1R, 3R)-1-(Benzylamino-methyl)-3-methyl-cyclohexyl]-acetic acid, hydrochloride salt;

{(1R, 3R)-1-[(Benzyl-methyl-amino)-methyl]-3-methyl-cyclohexyl}-acetic acid, hydrochloride salt;

or

((1R, 3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

6.(Original) A method for treating diabetic retinopathy comprising the step of administering a therapeutically effective amount of a compound of Formulas I, II, and/or III to a patient in need thereof



wherein:

R_9 is H; alkyl; cycloalkyl; substituted alkyl containing halogen, amine, alkoxy, cycloalkyl, or hydroxy; allyl; alkynyl; alkanoyl; alkoxyalkanoyl; sulfonyl; phenyl; benzyl; or arylalkyl;
 m and n are independently an integer of 1-3;

$R_1 - R_8$ and $R_{10} - R_{14}$ are independently H, alkyl, or substituted alkyl; and
 $X = NR_{14}$, O, or S

where there is more than one stereoisomer, each chiral center may be independently R or S; or a pharmaceutically acceptable salt, ester, prodrug, or amide thereof.

7.(Original) The method of Claim 6 wherein m and n are 1; X is NR_{14} ; R_9 is H; R_4 is methyl; R_4 and R_5 are methyl; R_8 is methyl; R_{10} is methyl; R_7 and R_8 are methyl; R_4 and R_8 are methyl; $R_1 - R_8$ and $R_{10} - R_{13}$ are H; R_9 is alkyl; R_9 is benzyl; R_{14} is alkyl; R_9 is arylalkyl; R_9 is cycloalkyl; $R_1 - R_8$ are H; $R_1 - R_8$ and $R_{10} - R_{11}$ are H; $R_1 - R_2$ and $R_7 - R_8$ are H; or R_2 is methyl.

8.(Original) The method of Claim 6 wherein R_3 is alkyl, $R_1 - R_2$ and $R_4 - R_{11}$ and R_{14} are hydrogen, and m and n are 1, and X is NR_{14} ; R_3 and R_{11} are alkyl, $R_1 - R_2$ and $R_4 - R_{10}$ and R_{14} are hydrogen, m and n are 1, and X is NR_{14} ; R_3 and R_{11} are alkyl, $R_1 - R_2$ and $R_4 - R_{10}$ and R_{14} are hydrogen, m and n are 1, R_9 is alkyl, and X is NR_{14} ; and $R_1 - R_{11}$ and R_{14} are hydrogen, m and n are 1, and X is O.

9.(Original) The method of Claim 6 wherein the compound is selected from the group consisting of:

(1-Allylaminomethyl-cyclohexyl)-acetic acid;

(1-Prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;

{1-[(2,2,2-Trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;

{1-[(3,3,3-Trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;

$1\alpha, 3\beta, 5\beta$ - (1-Allylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid;

$1\alpha, 3\beta, 5\beta$ -(3,5-Dimethyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;

$1\alpha, 3\beta, 5\beta$ -{3,5-Dimethyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;

$1\alpha, 3\beta, 5\beta$ -{3,5-Dimethyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;

trans-((1R,3R)-1-Allylaminomethyl-3-methyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl)-acetic acid;

1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid;

1 α ,3 β ,5 β -{1-[(Cyclopropylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;

trans-((1R,3R)-1-[(Cyclopropylmethyl-amino)-methyl]-3-methyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-1-Ethylaminomethyl-3-methyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-1-Butylaminomethyl-3-methyl-cyclohexyl)-acetic acid;

trans-((1R,3R)-1-Hydroxymethyl-3-methyl-cyclohexyl)-acetic acid;

1 α ,3 β ,5 β -{1-[(Hydroxymethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;

1 α ,3 β ,5 β -(1-Aminomethyl-3,5-diethyl-cyclohexyl)-acetic acid, hydrochloride;

trans-(1R,3R)-(1-Aminomethyl-3-methyl-cyclohexyl)-acetic acid, hydrochloride;

(1-Aminomethyl-2-methyl-cyclohexyl)-acetic acid, hydrochloride;

(1-Aminomethyl-3,3-dimethyl-cyclohexyl)-acetic acid, hydrochloride;

(\pm)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;

(cis/trans)-(3R)-(1-Aminomethyl-3-methyl-cyclopentyl)-acetic acid, hydrochloride;

(+)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;

(+)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;

1 α ,3 β ,5 β -(1-Aminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Benzylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Dimethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Butylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -{1-[(Benzyl-methyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic
acid, hydrochloride salt;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-methylaminomethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -[1-(Acetyl-amino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid;

1 α ,3 β ,5 β -(1-(Isobutylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -[3,5-Dimethyl-1-(phenethylamino-methyl)-cyclohexyl]-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(3-phenyl-propylamino)-methyl]-cyclohexyl}-acetic
acid, hydrochloride salt;

{1-[(Cyclobutylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
salt;

1 α ,3 β ,5 β -(1-(Isopropylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid,
hydrochloride salt;

1-Aminomethyl-1-cyclohexane-acetic acid;

1-Aminomethyl-1-cyclopentane-acetic acid;




1-Aminomethyl-1-cyclopentane-acetic acid, sodium salt;

1-(hydroxymethyl)cyclohexane-acetic acid, sodium salt;
{1-[(2-Methyl-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
{1-[(4,4,4-Trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
(1-Ethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
{1-[(Cyclopropylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
{1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
[1-(Isobutylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
(1-Propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
[1-(Isopropylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
(1-Cyclohexylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
[1-(Benzylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
{1-[Cyclopentylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric salt;
{1-[(Cyclohexylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric salt;
[1-(*tert*-Butoxycarbonylamino-methyl)-cyclohexyl]-acetic acid;
[1-(Acetyl-amino-methyl)-cyclohexyl]-acetic acid;
((3R, 5S)-1-Cyclobutylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride salt;
{(3R, 5S)-3,5-Dimethyl-1-[(2-methyl-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
{(3R, 5S)-1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;
{(3R, 5S)-1-[(2,2-Dimethoxy-ethylamino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid, hydrochloride salt;

{(3R, 5S)-1-[(Cyclopentylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-
 acetic acid, hydrochloride salt;
 {(3R,5S)-1-[(Cyclohexylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic
 acid, hydrochloride salt;
 ((3R, 5S)-1-Cyclohexylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 ((3R,5S)-1-Carboxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid;
trans-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
cis-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 (1-Dimethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 (1-Butylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 {1-[2,2-Dimethoxy-ethylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
 salt;
 (1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 {1-[(Benzyl-methyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
 [1-(Phenethylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
 {1-[(3-Phenyl-propylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
 ((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid, sodium salt;
 ((3R, 5S)-1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 (1-Aminomethyl-4-ethyl-cyclohexyl)-acetic acid, hydrochloric salt;
 (1-Aminomethyl-4-propyl-cyclohexyl)-acetic acid, hydrochloric salt;
 ((3R, 5S)-3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 [(1R, 3R)-1-(Benzylamino-methyl)-3-methyl-cyclohexyl]-acetic acid,
 hydrochloride salt;
 {(1R, 3R)-1-[(Benzyl-methyl-amino)-methyl]-3-methyl-cyclohexyl}-acetic acid,
 hydrochloride salt;
 or

((1R, 3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;

10.(Original) A method for inhibiting the branch chain amino acid-dependent aminotransferase in a patient in need thereof comprising the step of administering a therapeutically effective amount of a compound of Formulas I, II, and/or III



wherein:

R₉ is H; alkyl; cycloalkyl; substituted alkyl containing halogen, amine, alkoxy, cycloalkyl, or hydroxy; allyl; alkynyl; alkanoyl; alkoxyalkanoyl; sulfonyl; phenyl; benzyl; or arylalkyl;

m and n are independently an integer of 1-3;

R₁ - R₈ and R₁₀ - R₁₄ are independently H, alkyl, or substituted alkyl; and

X = NR₁₄, O, or S

where there is more than one stereoisomer, each chiral center may be independent

R or S; or a pharmaceutically acceptable salt, ester, prodrug, or amide thereof

11.(Original) The method of Claim 10 wherein wherein m and n are 1; X is NR₁₄; R₉ is H; R₄ is methyl; R₄ and R₅ are methyl; R₈ is methyl; R₁₀ is methyl; R₇ and R₈ are methyl; R₄ and R₈ are methyl; R₁-R₈ and R₁₀-R₁₃ are H; R₉ is alkyl; R₉ is benzyl; R₁₄ is alkyl; R₉ is arylalkyl; R₉ is cycloalkyl; R₁-R₈ are H; R₁-R₈ and R₁₀-R₁₁ are H; R₁-R₂ and R₇-R₈ are H; or R₂ is methyl.

12.(Original) The method of Claim 10 wherein R₃ is alkyl, R₁-R₂ and R₄-R₁₁ and R₁₄ are hydrogen, and m and n are 1, and X is NR₁₄; R₃ and R₁₁ are alkyl, R₁-R₂ and R₄-R₁₀ and R₁₄ are hydrogen, m and n are 1, and X is NR₁₄; R₃ and R₁₁ are alkyl, R₁-R₂ and R₄-R₁₀ and R₁₄ are hydrogen, m and n are 1, R₉ is alkyl, and X is NR₁₄; and R₁-R₁₁ and R₁₄ are hydrogen, m and n are 1, and X is O.

13.(Original) The method of Claim 10 wherein the compound is selected from:

(1-Allylaminomethyl-cyclohexyl)-acetic acid;

(1-Prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;

{1-[(2,2,2-Trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;

{1-[(3,3,3-Trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;

1 α ,3 β ,5 β - (1-Allylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;

1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl}-acetic acid;

$1\alpha,3\beta,5\beta$ -{3,5-Dimethyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl}-acetic acid;
 trans-((1R,3R)-1-Allylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-prop-2-ynylaminomethyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-[(2,2,2-trifluoro-ethylamino)-methyl]-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-[(3,3,3-trifluoro-propylamino)-methyl]-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl)-acetic acid;
 $1\alpha,3\beta,5\beta$ -{3,5-Dimethyl-1-[(4,4,4-trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid;
 $1\alpha,3\beta,5\beta$ -{1-[(Cyclopropylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;
 trans-((1R,3R)-1-[(Cyclopropylmethyl-amino)-methyl]-3-methyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-1-Ethylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-1-Butylaminomethyl-3-methyl-cyclohexyl)-acetic acid;
 trans-((1R,3R)-1-Hydroxymethyl-3-methyl-cyclohexyl)-acetic acid;
 $1\alpha,3\beta,5\beta$ -{1-[(Hydroxymethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic acid;
 $1\alpha,3\beta,5\beta$ -(1-Aminomethyl-3,5-diethyl-cyclohexyl)-acetic acid, hydrochloride;
 trans-(1R,3R)(1-Aminomethyl-3-methyl-cyclohexyl)-acetic acid, hydrochloride;
 (1-Aminomethyl-2-methyl-cyclohexyl)-acetic acid, hydrochloride;
 (1-Aminomethyl-3,3-dimethyl-cyclohexyl)-acetic acid, hydrochloride;
 (\pm)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;
 (cis/trans)-(3R)-(1-Aminomethyl-3-methyl-cyclopentyl)-acetic acid, hydrochloride;

(+)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;

(+)-(trans)-(1-Aminomethyl-3,4-dimethyl-cyclopentyl)-acetic acid, hydrochloride;

1 α ,3 β ,5 β -(1-Aminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid, hydrochloride;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Benzylamino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Dimethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -(1-Butylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -{1-[(Benzyl-methyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic
acid, hydrochloride salt;

1 α ,3 β ,5 β -(3,5-Dimethyl-1-methylaminomethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -[1-(Acetyl-amino-methyl)-3,5-dimethyl-cyclohexyl]-acetic acid;

1 α ,3 β ,5 β -(1-(Isobutylamino-methyl)-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -[3,5-Dimethyl-1-(phenethylamino-methyl)-cyclohexyl]-acetic acid,
hydrochloride salt;

1 α ,3 β ,5 β -{3,5-Dimethyl-1-[(3-phenyl-propylamino)-methyl]-cyclohexyl}-acetic
acid, hydrochloride salt;

{1-[(Cyclobutylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
salt;


$1\alpha,3\beta,5\beta$ -(1-(Isopropylamino-methyl)-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;
1-Aminomethyl-1-cyclohexane-acetic acid;
1-Aminomethyl-1-cyclopentane-acetic acid;
1-Aminomethyl-1-cyclopentane-acetic acid, sodium salt;
1-(hydroxymethyl)cyclohexane-acetic acid, sodium salt;
{1-[(2-Methyl-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
{1-[(4,4,4-Trifluoro-butylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
salt;
(1-Ethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
{1-[(Cyclopropylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
salt;
{1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-cyclohexyl}-acetic acid,
hydrochloride salt;
[1-(Isobutylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
(1-Propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
[1-(Isopropylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
(1-Cyclohexylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
[1-(Benzylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
((1R,3R)-3-Methyl-1-propylaminomethyl-cyclohexyl)-acetic acid, hydrochloride
salt;
{1-[Cyclopentylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric
salt;
{1-[(Cyclohexylmethyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloric
salt;
[1-(*tert*-Butoxycarbonylamino-methyl)-cyclohexyl]-acetic acid;
[1-(Acetylamino-methyl)-cyclohexyl]-acetic acid;
((3R, 5S)-1-Cyclobutylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
hydrochloride salt;
{(3R, 5S)-3,5-Dimethyl-1-[(2-methyl-butylamino)-methyl]-cyclohexyl}-acetic
acid, hydrochloride salt;

{(3R, 5S)-1-[(2-Hydroxy-1-methyl-ethylamino)-methyl]-3,5-dimethyl-
 cyclohexyl}-acetic acid, hydrochloride salt;
 {(3R, 5S)-1-[(2,2-Dimethoxy-ethylamino)-methyl]-3,5-dimethyl-cyclohexyl}-
 acetic acid, hydrochloride salt;
 {(3R, 5S)-1-[(Cyclopentylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-
 acetic acid, hydrochloride salt;
 {(3R,5S)-1-[(Cyclohexylmethyl-amino)-methyl]-3,5-dimethyl-cyclohexyl}-acetic
 acid, hydrochloride salt;
 ((3R, 5S)-1-Cyclohexylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 ((3R,5S)-1-Carboxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid;
trans-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
cis-((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 (1-Dimethylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 (1-Butylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 {1-[2,2-Dimethoxy-ethylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride
 salt;
 (1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride salt;
 {1-[(Benzyl-methyl-amino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
 [1-(Phenethylamino-methyl)-cyclohexyl]-acetic acid, hydrochloride salt;
 {1-[(3-Phenyl-propylamino)-methyl]-cyclohexyl}-acetic acid, hydrochloride salt;
 ((3R, 5S)-1-Hydroxymethyl-3,5-dimethyl-cyclohexyl)-acetic acid, sodium salt;
 ((3R, 5S)-1-Ethylaminomethyl-3,5-dimethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;
 (1-Aminomethyl-4-ethyl-cyclohexyl)-acetic acid, hydrochloric salt;
 (1-Aminomethyl-4-propyl-cyclohexyl)-acetic acid, hydrochloric salt;
 ((3R, 5S)-3,5-Dimethyl-1-propylaminomethyl-cyclohexyl)-acetic acid,
 hydrochloride salt;

A
 con

[(1R, 3R)-1-(Benzylamino-methyl)-3-methyl-cyclohexyl]-acetic acid,
 hydrochloride salt;
 {(1R, 3R)-1-[(Benzyl-methyl-amino)-methyl]-3-methyl-cyclohexyl}-acetic acid,
 hydrochloride salt;
 or
 ((1R, 3R)-3-Methyl-1-methylaminomethyl-cyclohexyl)-acetic acid, hydrochloride
 salt;

14.(Currently Amended) A method for treating neurological disorders, depression,
 anxiety, panic, mania, bipolar disorders, antiinflammatory diseases, glaucoma, pain or
 gastrointestinal damage comprising the step of administering a therapeutically effective
 amount of a compound of Formula IV to patient in need thereof.



R₁-R₄ are hydrogen or alkyl;

X is NR₅ or O;

R₅ is hydrogen or alkyl,

R₆ is hydrogen, alkyl, benzyl, alkanoyl, alkoxyalkanoyl, arylalkyl, alkoxy, cycloalkyl,
 alkyl, alkylcycloalkyl, alkoxy, cycloalkyl, alkylcycloalkyl, trisubstituted halogenalkyl,
 and wherein R₁-R₄ are each hydrogen the R₆ is not hydrogen or methyl; or a
 pharmaceutically acceptable salt, ester, prodrug, or amide thereof, with the proviso that
X-R₆ may not be NH₂.